L Number	Hits	Search Text	DB	Time stamp
1	56	(binary adj1 one or binary zero or white or black) with (smaller or larger)	USPAT;	2004/07/01 15:31
		near3 (occurence or frequency or count) with (area or window or block or	US-PGPUB;	
		macroblock)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB;	
			USOCR	
2	172	("1" or "0") with (smaller or larger) near3 (occurrence or frequency or	USPAT;	2004/07/01 15:35
-	1,72	count) with (area or window or block or macroblock)	US-PGPUB;	
		County with (area of window of block of macrobiock)	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
2	16	(inclide on interior) with (amollow on longer) near 2 (accurrence on frequency	USPAT;	2004/07/01 15:35
3	15	(inside or interior) with (smaller or larger) near3 (occurence or frequency		2004/07/01 15.55
		or count) with (area or window or block or macroblock)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
4	4304169	compress\$4 or cod\$4 or encod\$4	USPAT;	2004/07/01 15:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	ł
			IBM_TDB;	
			USOCR	
5	21	(compress\$4 or cod\$4 or encod\$4) and ((binary adj1 one or binary zero	USPAT;	2004/07/01 15:12
		or white or black) with (smaller or larger) near3 (occurence or frequency	US-PGPUB;	
		or count) with (area or window or block or macroblock))	EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
6	74	(compress\$4 or cod\$4 or encod\$4) and (("1" or "0") with (smaller or	USPAT;	2004/07/01 15:12
		larger) near3 (occurence or frequency or count) with (area or window or	US-PGPUB;	
		block or macroblock))	EPO; JPO;	
		block of muclooloon))	DERWENT;	
			IBM_TDB;	
			USOCR	
7	2	(compress\$4 or cod\$4 or encod\$4) and ((inside or interior) with (smaller	USPAT;	2004/07/01 15:13
′	2	or larger) near3 (occurence or frequency or count) with (area or window	US-PGPUB;	2001/07/01 15:15
		or block or macroblock))	EPO; JPO;	
		of block of macrobiock))	DERWENT;	
			IBM_TDB;	
			USOCR	
8	3708084	border or boundary or edge or contour	USPAT;	2004/07/01 15:14
8	3700004	border or boundary or edge or contour	US-PGPUB;	2004/07/01 13.14
			EPO; JPO; DERWENT;	
			IBM_TDB;	
		(11	USOCR	2004/07/01 15:15
9	12	(border or boundary or edge or contour) and ((compress\$4 or cod\$4 or	USPAT;	2004/07/01 15:15
		encod\$4) and ((binary adj1 one or binary zero or white or black) with	US-PGPUB;	ļ
		(smaller or larger) near3 (occurrence or frequency or count) with (area or	EPO; JPO;	
		window or block or macroblock)))	DERWENT;	
			IBM_TDB;	
			USOCR	
11	2	(border or boundary or edge or contour) and ((compress\$4 or cod\$4 or	USPAT;	2004/07/01 15:18
		encod\$4) and ((inside or interior) with (smaller or larger) near3	US-PGPUB;	
		(occurence or frequency or count) with (area or window or block or	EPO; JPO;	
		macroblock)))	DERWENT;	
			IBM_TDB;	
			USOCR	

10	37	(border or boundary or edge or contour) and ((compress\$4 or cod\$4 or	USPAT;	2004/07/01 15:28
		encod\$4) and (("1" or "0") with (smaller or larger) near3 (occurence or frequency or count) with (area or window or block or macroblock)))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	
12	881	(compress\$4 or cod\$4 or encod\$4) adj1 ((binary or bi-level or black adj2 white) adj1 (map or mask or picture or image))	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 15:30
13	184	(binary adj1 one or binary zero or white or black) with (smaller or larger) with (occurence or frequency or count) with (area or window or block or macroblock)	IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 15:36
14	721	("1" or "0") with (smaller or larger) with (occurence or frequency or count) with (area or window or block or macroblock)	IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 15:36
15	103	(inside or interior) with (smaller or larger) with (occurence or frequency or count) with (area or window or block or macroblock)	IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 15:36
18	0	((compress\$4 or cod\$4 or encod\$4) adj1 ((binary or bi-level or bilevel or black adj2 white) adj1 (map or mask or picture or image))) and ((inside or interior) with (smaller or larger) with (occurence or frequency or count) with (area or window or block or macroblock))	IBM_TDB; USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	2004/07/01 15:37
16	3	((compress\$4 or cod\$4 or encod\$4) adj1 ((binary or bi-level or bilevel or black adj2 white) adj1 (map or mask or picture or image))) and ((binary adj1 one or binary zero or white or black) with (smaller or larger) with (occurence or frequency or count) with (area or window or block or macroblock))	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	2004/07/01 15:37
17	4	((compress\$4 or cod\$4 or encod\$4) adj1 ((binary or bi-level or bilevel or black adj2 white) adj1 (map or mask or picture or image))) and (("1" or "0") with (smaller or larger) with (occurence or frequency or count) with (area or window or block or macroblock))	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	2004/07/01 15:43
19	849	shape adj2 (coding or encoding)	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	2004/07/01 16:09
20	167618	quadtree or quad-tree or quad adj1 tree or binary adj1 tree or tree	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/07/01 15:44

21	2	(shape adj2 (coding or encoding)) and (((binary adj1 one or binary zero	USPAT;	2004/07/01 15:45
		or white or black) with (smaller or larger) with (occurence or frequency	US-PGPUB;	
		or count) with (area or window or block or macroblock)) or (("1" or "0")	EPO; JPO;	
		with (smaller or larger) with (occurence or frequency or count) with (area	DERWENT;	
		or window or block or macroblock)) or ((inside or interior) with (smaller	IBM_TDB;	
1		or larger) with (occurence or frequency or count) with (area or window or	USOCR	
		block or macroblock)))		
22	51	(shape adj2 (coding or encoding)) and (quadtree or quad-tree or quad	USPAT;	2004/07/01 15:46
		adjl tree or binary adjl tree or tree)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
23	40	shape with (coding or encoding) same (quadtree or quad-tree or quad	USPAT;	2004/07/01 16:11
		adjl tree or binary adjl tree or tree)	US-PGPUB;	
1			EPO; JPO;	
İ			DERWENT;	
			IBM_TDB;	
			USOCR	

L Number	Hits	Search Text	DB	Time stamp
1	185	(determin\$4 or detect\$4) adj2 majority with (black or white or "1" or "0"	USPAT;	2004/07/01 17:25
_		or interior or exterior or inside or binary adj1 (one or zero))	US-PGPUB;	
		,,,,,,,, .	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
2	167618	quadtree or quad-tree or quad adj1 tree or tree	USPAT;	2004/07/01 17:22
2	107016	quadrice of quad-free of quad adj1 free of free	US-PGPUB;	200 // 01 1112
			EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
_	10	((1-4	USPAT;	2004/07/01 17:25
3	10	((determin\$4 or detect\$4) adj2 majority with (black or white or "1" or "0"		2004/07/01 17.23
		or interior or exterior or inside or binary adj1 (one or zero))) and	US-PGPUB;	
		(quadtree or quad-tree or quad adj1 tree or tree)	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
4	2194	(determin\$4 or detect\$4) adj2 (larger or smaller) with (black or white or	USPAT;	2004/07/01 17:40
		"1" or "0" or interior or exterior or inside or binary adj1 (one or zero))	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB;	
			USOCR	
5	1099	(determin\$4 or detect\$4) with majority with (black or white or "1" or "0"	USPAT;	2004/07/01 17:41
		or interior or exterior or inside or binary adj1 (one or zero))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
6	67	((determin\$4 or detect\$4) adj2 (larger or smaller) with (black or white or	USPAT;	2004/07/01 17:25
		"1" or "0" or interior or exterior or inside or binary adj1 (one or zero)))	US-PGPUB;	
		and (quadtree or quad-tree or quad adj1 tree or tree)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB;	
			USOCR	
7	42	((determin\$4 or detect\$4) with majority with (black or white or "1" or "0"	USPAT;	2004/07/01 17:25
'	.2	or interior or exterior or inside or binary adj1 (one or zero))) and	US-PGPUB;	
		(quadtree or quad-tree or quad adj1 tree or tree)	EPO; JPO;	
		(quadroo or quad noo or quad adj. noo or noo)	DERWENT;	
			IBM_TDB;	
			USOCR	
8	32	(((determin\$4 or detect\$4) with majority with (black or white or "1" or	USPAT;	2004/07/01 17:28
	32	"0" or interior or exterior or inside or binary adj1 (one or zero))) and	US-PGPUB;	
		(quadtree or quad-tree or quad adj1 tree or tree)) not (((determin\$4 or	EPO; JPO;	
		detect\$4) adj2 majority with (black or white or "1" or "0" or interior or	DERWENT;	
		exterior or inside or binary adj1 (one or zero))) and (quadtree or	IBM TDB;	
		quad-tree or quad adj1 tree or tree))	USOCR	
	(7	(((determin\$4 or detect\$4) adj2 (larger or smaller) with (black or white or	USPAT;	2004/07/01 17:32
9	67	"1" or "0" or interior or exterior or inside or binary adj1 (one or zero)))	US-PGPUB;	2004/07/01 17.32
		and (quadtree or quad-tree or quad adj1 tree or tree)) not (((determin\$4 or	EPO; JPO;	
		detect\$4) with majority with (black or white or "1" or "0" or interior or	DERWENT;	
			IBM_TDB;	
		exterior or inside or binary adj1 (one or zero))) and (quadtree or	USOCR	
	2.	quad-tree or quad adj1 tree or tree))		2004/07/01 17:22
10	86	more adj5 (object or background) adj1 pixel	USPAT;	2004/07/01 17:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	L

11	7	(quadtree or quad-tree or quad adj1 tree or tree) and (more adj5 (object or	USPAT;	2004/07/01 17:32
		background) adj 1 pixel)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB;	
			USOCR	
12	665401	(larger or smaller) with (black or white or "1" or "0" or interior or exterior or inside or binary adj1 (one or zero))	USPAT; US-PGPUB;	2004/07/01 17:55
		exterior or mistic or binary adjr (one or zero))	EPO; JPO;	
			DERWENT;	
			IBM_TDB; USOCR	
13	23234	majority with (black or white or "1" or "0" or interior or exterior or	USPAT;	2004/07/01 17:55
		inside or binary adj1 (one or zero))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB; USOCR	
14	1747	(quadtree or quad-tree or quad adj1 tree or tree) same ((larger or smaller)	USPAT;	2004/07/01 17:42
		with (black or white or "1" or "0" or interior or exterior or inside or	US-PGPUB;	
		binary adj1 (one or zero)))	EPO; JPO; DERWENT;	
			IBM_TDB;	
1.5	7.7	(USOCR USPAT;	2004/07/01 17:42
15	77	(quadtree or quad-tree or quad adj1 tree or tree) same (majority with (black or white or "1" or "0" or interior or exterior or inside or binary	US-PGPUB;	2004/07/01 17:42
		adjl (one or zero)))	EPO; JPO;	
			DERWENT; IBM_TDB;	
			USOCR	
17	6	((quadtree or quad-tree or quad adj1 tree or tree) same (majority with (black or white or "1" or "0" or interior or exterior or inside or binary	USPAT; US-PGPUB;	2004/07/01 17:42
		adjl (one or zero)))) same (node or parent)	EPO; JPO;	
			DERWENT;	
			IBM_TDB; USOCR	
16	202	((quadtree or quad-tree or quad adj1 tree or tree) same ((larger or	USPAT;	2004/07/01 17:54
		smaller) with (black or white or "1" or "0" or interior or exterior or inside or binary adj1 (one or zero)))) same (node or parent)	US-PGPUB; EPO; JPO;	
		or binary adj 1 (one or zerojjji) same (node or parent)	DERWENT;	
			IBM_TDB; USOCR	
18	5036	root adj1 node	USPAT;	2004/07/01 17:54
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB;	
19	2572	minority with (black or white or "1" or "0" or interior or exterior or	USOCR USPAT;	2004/07/01 17:55
	25/2	inside or binary adj1 (one or zero))	US-PGPUB;	200 // 01/ 01/ 17/00
			EPO; JPO; DERWENT;	
			IBM_TDB;	
			USOCR	2004/07/01 17 66
20	367613	(smaller) with (black or white or "1" or "0" or interior or exterior or inside or binary adj1 (one or zero))	USPAT; US-PGPUB;	2004/07/01 17:56
		morae or ormally augre (one or zero))	EPO; JPO;	
			DERWENT; IBM_TDB;	
			USOCR	

21	2875422	split\$4 or divid\$4 or segment\$4	USPAT;	2004/07/01 17:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
22	369920	(minority with (black or white or "1" or "0" or interior or exterior or	USPAT;	2004/07/01 17:56
		inside or binary adj1 (one or zero))) or ((smaller) with (black or white or	US-PGPUB;	
		"1" or "0" or interior or exterior or inside or binary adj1 (one or zero)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
23	11527	(split\$4 or divid\$4 or segment\$4) with ((minority with (black or white or	USPAT;	2004/07/01 17:57
		"1" or "0" or interior or exterior or inside or binary adj1 (one or zero))) or	US-PGPUB;	
		((smaller) with (black or white or "1" or "0" or interior or exterior or	EPO; JPO;	
		inside or binary adj1 (one or zero))))	DERWENT;	
			IBM_TDB;	
			USOCR	
24	29304	(split\$4 or divid\$4 or segment\$4) same ((minority with (black or white	USPAT;	2004/07/01 17:57
		or "1" or "0" or interior or exterior or inside or binary adj1 (one or zero)))	US-PGPUB;	
		or ((smaller) with (black or white or "1" or "0" or interior or exterior or	EPO; JPO;	
		inside or binary adj1 (one or zero))))	DERWENT;	
			IBM_TDB;	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USOCR	2004/07/01 17:57
25	314	(quadtree or quad-tree or quad adj1 tree or tree) and ((split\$4 or divid\$4	USPAT;	2004/07/01 17:57
		or segment\$4) with ((minority with (black or white or "1" or "0" or	US-PGPUB;	
		interior or exterior or inside or binary adjl (one or zero))) or ((smaller)	EPO; JPO;	
		with (black or white or "1" or "0" or interior or exterior or inside or	DERWENT;	
		binary adjl (one or zero)))))	IBM_TDB; USOCR	
26	1244520		USPAT;	2004/07/01 17:58
26	1244520	compression or coding or encoding	US-PGPUB;	2004/07/01 17.38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
27	128	((quadtree or quad-tree or quad adj1 tree or tree) and ((split\$4 or divid\$4	USPAT;	2004/07/01 17:58
21	120	or segment\$4) with ((minority with (black or white or "1" or "0" or	US-PGPUB;	250-707/01 17.50
		interior or exterior or inside or binary adj1 (one or zero))) or ((smaller)	EPO; JPO;	
		with (black or white or "1" or "0" or interior or exterior or inside or	DERWENT;	
		binary adj1 (one or zero))))) and (compression or coding or encoding)	IBM TDB;	
		and and the or zero of fill and the compression or coming or checking)	USOCR	

L Number	Hits	Search Text	DB	Time stamp
1	4304169	compress\$4 or cod\$4 or encod\$4	USPAT;	2004/07/01 11:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
2	89841	(compress\$4 or cod\$4 or encod\$4) with shape	USPAT;	2004/07/01 14:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
3	169	(compress\$4 or cod\$4 or encod\$4) with (mask near2 (object or	USPAT;	2004/07/01 14:42
		foreground))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM TDB,	
			USOCR	}
4	24757	(compress\$4 or cod\$4 or encod\$4) adj5 shape	USPAT;	2004/07/01 11:08
· .		(compressed to a cood to a consecutive) and a compression of the consecutive of the conse	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
5	3126	(compress\$4 or cod\$4 or encod\$4) adj5 ((binary or bit) adj1 map or	USPAT;	2004/07/01 11:08
1	3120	binary adj1 (image or picture))	US-PGPUB;	200 1/07/01 11:00
1		i oniting adji (initinge of picture))	EPO; JPO;	
Ì			DERWENT;	
			IBM TDB;	
			USOCR USOCR	
6	152701	shape with object	USPAT;	2004/07/01 11:09
0	132701	Shape with object	US-PGPUB;	2004/07/01 11.09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
,	2919	(shape with abject) and ((sampless A or ead \$4 or an ed \$4) adi 5 shape)	USPAT;	2004/07/01 11:09
7	2919	(shape with object) and ((compress\$4 or cod\$4 or encod\$4) adj5 shape)		2004/07/01 11:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
	211	(1 11 11 4) 4 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USOCR	2004/07/01 11:00
8	211	(shape with object) and ((compress\$4 or cod\$4 or encod\$4) adj5 ((binary	USPAT;	2004/07/01 11:09
		or bit) adj1 map or binary adj1 (image or picture)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	0004/07/01
9	1257	(split\$4 or divid\$4or segment\$4) with (subblock or subregion or	USPAT;	2004/07/01 11:12
1		sub-block or sub-region)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
10	2353	((boundary or border or contour) adjl (block or macroblock))	USPAT;	2004/07/01 11:15
ļ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	

11	3410	(object adj1 (block or macroblock))	USPAT;	2004/07/01 11:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
12	286	(background adj1 (block or macroblock))	USPAT;	2004/07/01 11:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
13	13	(((boundary or border or contour) adj1 (block or macroblock))) and	USPAT;	2004/07/01 11:48
		((object adj1 (block or macroblock))) and ((background adj1 (block or	US-PGPUB;	
		macroblock)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
14	17	((split\$4 or divid\$4or segment\$4) with (subblock or subregion or	USPAT;	2004/07/01 11:47
		sub-block or sub-region)) and (((boundary or border or contour) adj1	US-PGPUB;	
		(block or macroblock)))	EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
15	1	((compress\$4 or cod\$4 or encod\$4) with (mask near2 (object or	USPAT;	2004/07/01 11:47
		foreground))) and ((split\$4 or divid\$4or segment\$4) with (subblock or	US-PGPUB;	
		subregion or sub-block or sub-region))	EPO; JPO;	
		••••••••••••••••••••••••••••••••••••	DERWENT;	
			IBM TDB;	
			USOCR	
16	112	(((boundary or border or contour) adjl (block or macroblock))) and	USPAT;	2004/07/01 11:49
		(((object adj1 (block or macroblock))) or ((background adj1 (block or	US-PGPUB;	
		macroblock))))	EPO; JPO;	
		""	DERWENT;	
			IBM_TDB;	
			USOCR	
17	87	(compress\$4 or cod\$4 or encod\$4) and ((((boundary or border or	USPAT;	2004/07/01 11:49
		contour) adj1 (block or macroblock))) and (((object adj1 (block or	US-PGPUB;	
		macroblock))) or ((background adj1 (block or macroblock)))))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
18	44	(shape with object) and ((compress\$4 or cod\$4 or encod\$4) and	USPAT;	2004/07/01 11:53
		(((((boundary or border or contour) adj1 (block or macroblock))) and	US-PGPUB;	
		(((object adj1 (block or macroblock))) or ((background adj1 (block or	EPO; JPO;	
	1	macroblock))))))	DERWENT;	
			IBM_TDB;	
			USOCR	
20	1	((split\$4 or divid\$4or segment\$4) with (subblock or subregion or	USPAT;	2004/07/01 11:53
		sub-block or sub-region)) and ((compress\$4 or cod\$4 or encod\$4) with	US-PGPUB;	
		(mask near2 (object or foreground)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
19	80	((split\$4 or divid\$4or segment\$4) with (subblock or subregion or	USPAT;	2004/07/01 13:34
		sub-block or sub-region)) and ((compress\$4 or cod\$4 or encod\$4) with	US-PGPUB;	
		shape)	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	

21	65443	(count\$4 or determin\$4 or calculat\$4) adj3 (number or frequency or	USPAT;	2004/07/01 13:37
		occurance) with (("1" OR "0" OR white or black) or (inside or outside or interior or exterior or body or background) near1 pixel)	US-PGPUB; EPO; JPO; DERWENT;	
22	167446	tree	IBM_TDB; USOCR USPAT;	2004/07/01 13:46
22	107440	·	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB; USOCR	
23	756	((count\$4 or determin\$4 or calculat\$4) adj3 (number or frequency or occurance) with (("1" OR "0" OR white or black) or (inside or outside or interior or exterior or body or background) near1 pixel)) and	USPAT; US-PGPUB; EPO; JPO;	2004/07/01 13:46
		((compress\$4 or cod\$4 or encod\$4) with shape)	DERWENT; IBM_TDB;	
25	2717	((count\$4 or determin\$4 or calculat\$4) adj3 (number or frequency or occurance) with (("1" OR "0" OR white or black) or (inside or outside or	USOCR USPAT; US-PGPUB;	2004/07/01 13:47
		interior or exterior or body or background) near1 pixel)) and tree	EPO; JPO; DERWENT; IBM TDB;	
27	147	(shape with object) and (((count\$4 or determin\$4 or calculat\$4) adj3 (number or frequency or occurance) with (("1" OR "0" OR white or	USOCR USPAT; US-PGPUB;	2004/07/01 13:48
		black) or (inside or outside or interior or exterior or body or background) near1 pixel)) and tree)	EPO; JPO; DERWENT; IBM_TDB;	
24	7	((count\$4 or determin\$4 or calculat\$4) adj3 (number or frequency or occurance) with (("1" OR "0" OR white or black) or (inside or outside or	USOCR USPAT; US-PGPUB;	2004/07/01 13:52
		interior or exterior or body or background) near1 pixel)) and ((compress\$4 or cod\$4 or encod\$4) with (mask near2 (object or foreground)))	EPO; JPO; DERWENT; IBM_TDB; USOCR	
26	151	(shape with object) and (((count\$4 or determin\$4 or calculat\$4) adj3 (number or frequency or occurance) with (("1" OR "0" OR white or black) or (inside or outside or interior or exterior or body or background)	USPAT; US-PGPUB; EPO; JPO;	2004/07/01 13:55
		near1 pixel)) and ((compress\$4 or cod\$4 or encod\$4) with shape))	DERWENT; IBM_TDB; USOCR	
28	14006	(compress\$4 or cod\$4 or encod\$4) adj3 shape	USPAT; US-PGPUB;	2004/07/01 14:43
			EPO; JPO; DERWENT; IBM_TDB;	
29	53	(compress\$4 or cod\$4 or encod\$4) adj3 (mask near2 (object or foreground))	USOCR USPAT; US-PGPUB;	2004/07/01 14:45
			EPO; JPO; DERWENT; IBM TDB;	
30	1767897	count\$4	USOCR USPAT; US-PGPUB;	2004/07/01 14:45
			EPO; JPO; DERWENT;	
			IBM_TDB; USOCR_	

31	2340	count\$4 and ((compress\$4 or cod\$4 or encod\$4) adj3 shape)	USPAT;	2004/07/01 14:46
		, , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
32	18984	count\$4 with pixel	USPAT;	2004/07/01 14:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB;	
			USOCR	
33	126	(count\$4 with pixel) and ((compress\$4 or cod\$4 or encod\$4) adj3 shape)	USPAT;	2004/07/01 14:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
34	4	(count\$4 with pixel) and ((compress\$4 or cod\$4 or encod\$4) adj3 (mask	USPAT;	2004/07/01 14:55
		near2 (object or foreground)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	1